


INSPIRATION GUIDE | Exterior Fiberglass & Steel Door Systems



Why Alliance Door Products.....2
 Why Therma-Tru3
 Feature Products4
 Exterior Trends.....6

Classic Craft® Collection8
 EnLiten™ Flush-Glazed Glass 10
 Provincial™ 12
 Homeward™..... 12
 Zaha® 13
 Solid Panel 15

Fiber-Classic® | Smooth-Star® | Steel16
 EnLiten Flush-Glazed Glass..... 18
 Echelon..... 22
 Latitude 23
 Calix 25
 Sedona 28
 Maple Park®..... 30
 Saratoga™..... 32
 Axis® 34
 Pembridge™ 37
 Concorde™ 39
 Privacy & Textured Glass 41
 Internal Blinds 43
 Screen Vented Lites 43
 Low-E Glass..... 44
 Pulse® 46
 Grooved Fiberglass Doors 48
 Solid Panel 49
 Steel Doors 51
 Traditions Program..... 52
 Traditions Plus Program 52
 Garden & Reno Garden Door..... 53
 Combo Door 53

Complete Door System 54
 Tru-Guard Composite Frame 55
 Warranty 57
 Door Frame options 58
 Prefinish options..... 58
 Service Overview..... 59



Why Alliance Door Products

Let us guide you through our exterior Fiberglass and Steel door offerings with a curated selection of the most popular Therma-Tru door systems, glass, hardware, finishes, and accessories. With branches strategically located throughout Canada, many items are available for quick delivery through our STOCK or RAPID SHIP programs.

Please note that regional variations in product availability may apply. For specific details, please contact your local Alliance Door Products branch.

- Serving the DOOR INDUSTRY since 1978.
- Staffed by friendly, knowledgeable door EXPERTS.
- Complete local service solutions including custom machining capabilities and prehangings.
- Carefully chosen, comprehensive INVENTORY and access to great RAPID SHIP options.
- Great package opportunities: Interior Doors, Millwork, Stair Parts and more.
- Door Hardware.
- Pre-finish Stain and Paint program.





Year after year, building professionals consistently rank Therma-Tru as their top exterior door system choice. With over 50 years of experience and technical expertise, Therma-Tru built a reputation for delivering exceptional quality and performance.

As pioneers of fiberglass doors, Therma-Tru revolutionized the industry and continues to set the standard with innovative door systems designed to meet the highest expectations.

Discover the difference that makes Therma-Tru the trusted name in entry doors.

Why Therma-Tru® Fiberglass Doors

Your Therma-Tru fiberglass door system delivers long-lasting beauty, durability and energy efficiency.

Beautiful

- Offers endless choices in door styles and handcrafted decorative glass designs.
- Gives the authentic look and feel of real wood.

Low-Maintenance

- Built from a material that won't dent or rust, nor will it warp, split, crack or rot.
- Requires less work than wood or steel to keep your door looking "new" longer.*

Energy-Efficient

- Solid polyurethane foam core provides up to four times the insulating R-Value of wood.**
- Most decorative, privacy and textured glass features triple-pane construction for reduced outside noise and increased energy efficiency.

Durable

- Provides homes with weather resistance, as well as long-lasting curb appeal.
- Engineered to work together as a complete door system for uncompromising quality, inside and out.

THERMA TRU®
NAFS
 DOOR SYSTEMS MEET
 NORTH AMERICAN
 FENESTRATION STANDARD
 REQUIREMENTS

LIFETIME
 LIMITED
WARRANTY

Contributes to an energy-efficient home and is backed by the industry's most comprehensive lifetime limited warranty.

Please check your local building codes when choosing energy ratings for your entry door systems.

*Visit www.thermatru.ca for maintenance and refinishing guidelines. **Comparison of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit www.thermatru.ca for details on limited warranties and exclusions.

Front Cover: 1. Smooth-Star, Calix Glass - S4521-FF 2. Fiber-Classic, Chinchilla Glass - FCM4814KJ-SDLF1 3. Smooth-Star, Low-E Glass - S84200-SDLF1

Left Page: Fiber-Classic, Axis Glass - FCM1652 Right Page: Smooth-Star, Satin Etch Glass - S5700XE-SDLF2




Smooth-Star®

Shaker-Style Door Expansion

Capture the timeless simplicity of Shaker style with our half-lite 1-panel Shaker doors and sidelites, featuring flush-glazed glass. These doors are available with privacy and textured options, as well as energy-efficient Low-E glass and divided lite designs.

Flat Profile divider bars are available for all Shaker-Style and Flush-Glazed Smooth-Star doors. Please ask your representative for more detail.



S4816 | S84816

S1100 | S81100

S120 | S8120



S3200XE | S3200XESL

S84305XE | S84305XESL

S4200 | S4200SL

LIFETIME
LIMITED
WARRANTY

Residential


3 YEAR
LIMITED
WARRANTY

Multi-Family /
Commercial

Door Divider Bar (DDB) & Simulated Divided Lite (SDL) Styles

On-trend design, timeless style.

Discover new ways to bring popular Shaker charm to the entry. New DDB and SDL styles for flush-glazed full-lite and solid-panel Shaker-style doors blend on-trend contours with purposeful Shaker design to complete the look of Contemporary and Modern home styles.





Composite Door Frame

featuring Tru-Guard™ Composite Technology

Therma-Tru® composite door frame featuring Tru-Guard composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

For more information see page 55.



TRU GUARD
COMPOSITE TECHNOLOGY

Prefinishing Option

from Alliance Door Products

Alliance Door Products now offers pre-finished Therma-Tru Stain and Paint options.

- Pre-finish quoting option now in Alliance ProLink.
- Stain and Paint Sample Chains available.

Please contact your Alliance Door Products Representative for more information.



Advanta® Lite Frame

for Fiber-Classic®, Smooth-Star®, Steel & Pulse®



Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru.

Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



For more information, scan QR code.

EnLiten™ Flush-Glazed Designs

Simplified beauty.

Resilient designs.

With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes.

Built for long-term performance, these doors and sidelites feature the sleek look homeowners want and the stylish around-the-home solutions they need.



Superior Sound Dampening



11% More Energy Efficient



Withstands Winds Up to 167 mph



Flush-Glazed Glass



Lip-Lite Frame

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.

See your Therma-Tru seller or visit www.thermatru.ca for details on limited warranties and exclusions, glass privacy ratings and glass designs.

Design Inspiration and Architectural Styles

In today's evolving home design landscape, the boundaries between modern, casual, and traditional styles are increasingly fluid, with each style borrowing elements from the others. Modern Farmhouse and European styles further blur the lines.

As homeowners seek to express their unique tastes, decorative accents play a pivotal role in defining the overall aesthetic. A growing trend is the incorporation of nature inspired details and minimalist influences, reflecting a desire for simplicity and connection to the natural world.

Another significant trend is the seamless blending of indoor and outdoor spaces, as the concept of "home" extends beyond the confines of four walls. Exterior doors are becoming more than just entry points; they are key elements that bridge personal outdoor retreats with secure and comforting indoor environments. This merging of spaces highlights the importance of an inviting and cohesive entryway that sets the tone for the entire home.

Modern

Focuses on clean lines and asymmetrical exteriors. Fuses together industrial concrete, vinyl and glass materials.

- Flat or Shed Roof Lines
- Geometric or Angular Shapes
- Expansive Windows
- Minimal Decoration



Farmhouse

Clean, simple and welcoming, taking classic rustic farmhouse elements and combining them with the sleek and simple twist of modern décor.

- Gable roof Lines
- Rustic Decoration
- Dark Trim
- Shaker paneling
- Clean lines



European

Inspired by the provincial style of countryside estates. Features rich details on brick, stone and stucco exteriors.

- Multi-Peaked Roof Lines
- Shingles or Clay Roof Tiles
- Romantic Decoration
- Arched Windows and Entryways
- Grand Entrances



Large Daylight Openings

Whether it's a dramatic entrance or continuous indoor-outdoor living, wide openings are a growing design trend for both entry and patio systems. The use of glass, sidelites, or multiple units on a continuous visual plane provides abundant natural light, spacious openings.



Classic Craft® Collection

LIFETIME
LIMITED
WARRANTY
TRANSFERABLE



An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

AccuGrain. TECHNOLOGY

True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.



Classic Craft Decorative Glass

Classic Craft Collections options

- EnLiten™ Flush-Glazed (🔥)
- Privacy and Textured Glass
- Decorative Glass
- Divided Lites
- Low-E Glass
- Solid Panel

Please visit www.thermatru.ca to view the complete offering.




Black Nickel



Brushed Nickel



Brushed Nickel



Black Nickel



Brushed Nickel

Provincial™
Glass Privacy Rating: 6

Homeward™
Glass Privacy Rating: 4

Zaha®
Glass Privacy Rating: 3

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.

*Comparison of Classic Craft to other standard fiberglass doors with similar styles.
 Visit www.thermatru.ca for details.
 **Comparison of R-Values of fiberglass to wood doors (both without glass).



Engineered for Moisture Protection
 Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



Designed with Authenticity
 Features construction identical to wood doors with narrow stiles and rails and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.



Tested to Withstand Mother Nature
 Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Thermo-Tru Door Frame
 Created specifically for Thermo-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts and help maintain energy efficiency and weather resistance.



Designed for Long-Term Performance
 Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction
 Most decorative, privacy and textured glass panels are enclosed between tempered glassed, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance
 Revolutionary AccuGrain technology replicates authentic natural wood textures for a look and feel that is visually indistinguishable from real wood.



Built for Strength and Security
 Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier*



Constructed for Energy Efficiency
 Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**



Left Page: Classic Craft, Low-E Glass, Finish Driftwood – CCM82804-SDLF6

Right Page: 1. Classic Craft, Zaha Glass, Finish Shale – CCM82803 2. Classic Craft, Low-E Glass, Finish Raven CCA220-SDL 3. Classic Craft Walnut, Finish Tumbleweed –CCW8901L

Classic Craft® Fir Collection



CCA210_ | 3'0" x 6'8" | 🔥
 CCA8210_ | 3'0" x 8'0" | 🔥

CCA87100XR | 3'6" x 8'0" | 🔥

CCA3400_SL (Full Lite) | 12" x 6'8" | 14" x 6'8" | 🔥🌀

CCA220_SL (Craftsman Lite) | 12" x 6'8" | 14" x 6'8" | 🔥🌀

CCA220_ | 3'0" x 6'8" | 🔥🌀
 CCA230_ | 3'0" x 6'8" | 🔥🌀

CCA87300XR | 3'6" x 8'0" | 🔥🌀
 CCA240_ | 3'0" x 6'8" | 🔥🌀

Classic Craft Fir Collection Shaker Doors



CCA260_ | 3'0" x 6'8" | 🔥🌀
 CCA87600XR | 3'6" x 8'0" | 🔥🌀

CCA3450_SL (Full Lite) | 12" x 6'8" | 14" x 6'8" | 🔥🌀

CCA220_SL (Craftsman Lite) | 12" x 6'8" | 14" x 6'8" | 🔥🌀

CCA2400_ | 3'0" x 6'8" | 🔥
 CCA82400_ | 3'0" x 8'0" | 🔥

CCA2370_ | 3'0" x 6'8" | 🔥🌀
 CCA82370_ | 3'0" x 8'0" | 🔥🌀

CCA2300_ | 3'0" x 6'8" | 🔥🌀
 CCA82300_ | 3'0" x 8'0" | 🔥🌀


CCA2310_ | 3'0" x 6'8" | 🔥🌀
 CCA82310_ | 3'0" x 8'0" | 🔥🌀

CCA2320_ | 3'0" x 6'8" | 🔥🌀
 CCA82320_ | 3'0" x 8'0" | 🔥🌀

Key

- 🔥 Flush-Glazed Glass (FG)
- 🌀 Simulated Divided Lites (SDL)
- 🌀 Simulated Divided Lites (SDLF3)
- 🌀 Simulated Divided Lites (SDLF4)
- 🌀 Simulated Divided Lites (SDLF5)
- 🚚 Rapid Ship

Low-E Glass



Low-E (LE) 1

Low-E Glass is more energy efficient than traditional clear glass. See page 44 for more information.

Privacy & Textured Glass



Satin Etch (XE) 10



Chinchilla (XJ) 10



Granite (XN) 10



Reeded (XX) 7




Chord (XC) 10




Rainglass (XR) 8

^Reeded glass available in flush-glazed Classic Craft doors and sidelites, as well as Fiber-Classic, Smooth-Star, Steel and Pulse doors and sidelites.



CCA2330_ | 3'0" x 6'8" | 🔥 🔒
CCA82330_ | 3'0" x 8'0" | 🔥 🔒



CCA2340_ | 3'0" x 6'8" | 🔥 🔒
CCA82340_ | 3'0" x 8'0" | 🔥 🔒




CCA2350_ | 3'0" x 6'8" | 🔥 🔒
CCA82350_ | 3'0" x 8'0" | 🔥 🔒




CCA236_ | 3'0" x 6'8" | 🔥 🔒
CCA8236_ | 3'0" x 8'0" | 🔥 🔒

Classic Craft Mahogany Collection



CCA2380_ | 3'0" x 6'8" | 🔥 🔒
CCA82380_ | 3'0" x 8'0" | 🔥 🔒



CCA2400_
 12" x 6'8" | 14" x 6'8" | 🔥 ☺
CCA82400_
 12" x 8'0" | 14" x 8'0" | 🔥 ☺



CCA2310SL_
 12" x 6'8" | 14" x 6'8" | 🔥 🔒
CCA82310SL_
 12" x 8'0" | 14" x 8'0" | 🔥 🔒



CCR3400SL_ | **CCR3400SL_**
 12" x 6'8" | 14" x 6'8" | 🔥 ☺
CCR8000SL_ | **CCR8000SL_**
 12" x 8'0" | 14" x 8'0" | 🔥 ☺

NOTE!
 SDL sidelight options are available for all SDL door configurations.

Classic Craft Canvas Collection



CCV920_
 3'0" x 6'8" | 🔥 🔒



CCV930_
CCV930_
 3'0" x 6'8" | 🔥 🔒




CCV940_
CCV940_
 3'0" x 6'8" | 🔥 🔒




CCV960_
CCV960_
 3'0" x 6'8" | 🔥 🔒



CCV910_
CCV910_
 3'0" x 6'8" | 🔥




CCV100SL_ | **CCV100SL_**
 12" x 6'8" | 14" x 6'8" | 🔥 ☺
CCV8100SL_ | **CCV8100SL_**
 12" x 8'0" | 14" x 8'0" | 🔥 ☺



CCV910XCSL | **CCV910XJSL**
 12" x 6'8" | 14" x 6'8" | 🔥 ☺


Optional Dentil Shelves
 Available for Craftsman-style door.




Classic Craft Fir 4-Block*



Classic Craft Fir 16-Block*



Classic Craft Fir 4-Block*
 Pairs with 3'6" wide doors.



Classic Craft Canvas 4-Block*

*Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.

Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door.

See your Thermo-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.



Provincial™: Classic Craft®
Mahogany Collection

Classic Craft Canvas Collection

CCR30028 3'0" x 6'8" ◆ ::	CCR3408SL 12" x 6'8" 14" x 6'8" ◆ ◆ :: CCR8008SL 12" x 8'0" 14" x 8'0" ◆ ◆ ::	CCV05028 3'0" x 6'8" ◆ :: CCV805028 3'0" x 8'0" ◆ ::	CCV108SL 12" x 6'8" 14" x 6'8" ◆ ◆ :: CCV8108SL 12" x 8'0" 14" x 8'0" ◆ ◆ ::



Homeward™: Classic Craft Fir Collection

CCA211 3'0" x 6'8" ▲ :: CCA8211 3'0" x 8'0" ▲ ::	CCA221 3'0" x 6'8" ▲ ■ ■ ■ CCA8221 3'0" x 8'0" ▲ ■ ■ ■	CCA3401SL 12" x 6'8" 14" x 6'8" ▲ ■ ■ ⊕ CCA3501SL 12" x 8'0" 14" x 8'0" ▲ ■ ■ ⊕	CCA211SL 12" x 6'8" 14" x 6'8" ▲ ■ ■ ⊕

Key

- ▲ Flush-Glazed Glass (FG)
- ◆ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- ⊕ Rapid Ship

Optional Dentil Shelves

Available for all Craftsman-style Classic Craft Fir Collection and Canvas Collection doors.

4-Block Dentil Shelf*	16-Block Dentil Shelf*
4-Block Dentil Shelf*	

*Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.

Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass.

See your Thermo-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.


Classic Craft Canvas Collection



CCV911
3'0" x 6'8" | ▲ ::



CCV921
3'0" x 6'8" | ▲ :: ■



CCV911SL
12" x 6'8" 14" x 6'8" | ▲ :: ☺



CCV9011SL
12" x 6'8" 14" x 6'8" | ▲ :: ☺



Zaha®: Classic Craft Mahogany Collection



CCR1851
3'0" x 6'8" | ◆ ::



CCR1841 | 3'0" x 6'8" | ◆ ::
CCR81841 | 3'0" x 8'0" | ◆ ::



CCR1839 | 3'0" x 6'8" | ◆ ::
CCR81839 | 3'0" x 8'0" | ◆ ::



CCR1846
3'0" x 8'0" | ◆ :: ☺



CCR1838 | 3'0" x 6'8" | ◆ ::
CCR81838 | 3'0" x 8'0" | ◆ ::



CCR1845
3'0" x 8'0" | ◆ ::



CCR1851SL | 12" x 6'8" | 14" x 6'8" | ▲ ◆ :: ☺
CCR81851SL | 12" x 8'0" | 14" x 8'0" | ▲ ◆ :: ☺





Key

- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)

Top left: Classic Craft Fir Grain Door - CCA81166-DDBF5, retractable screen **Bottom left:** Classic Craft Fir Grain Door - CCA1133-DDBF4, Low-E Glass, Sidelites - CCA2400SL
Top right: Classic Craft Fir Grain Doors, Low-E Glass with SDL - CCA82350-SDLF5 **Middle right:** Fiber-Classic Mahogany Door, Clear Glass - FCM4810
Bottom right: Fiber-Classic Mahogany Door, Low-E Glass with SDL - FCM4813, Sidelites - FCM2000SL.

Classic Craft® Fir Collection Shaker-Style



CCA1100 | 3'0" x 6'8"

CCA81100 | 3'0" x 8'0"



CCA1127 | 3'0" x 6'8" | 4

CCA81127 | 3'0" x 8'0" | 4



CCA1133 | 3'0" x 6'8" | 4

CCA81133 | 3'0" x 8'0" | 4



CCA1145 | 3'0" x 6'8" | 4

CCA81145 | 3'0" x 8'0" | 4



CCA1150 | 3'0" x 6'8" | 3

CCA81150 | 3'0" x 8'0" | 3



CCA1125 | 3'0" x 6'8" | 3

CCA81125 | 3'0" x 8'0" | 3



CCA1149 | 3'0" x 6'8" | 5


CCA81149 | 3'0" x 8'0" | 5



CCA1147 | 3'0" x 6'8" | 3

CCA81147 | 3'0" x 8'0" | 3

Classic Craft Mahogany Collection



CCA1166 | 3'0" x 6'8" | 5

CCA81166 | 3'0" x 8'0" | 5



CCA1158 | 3'0" x 6'8" | 3

CCA81158 | 3'0" x 8'0" | 3



CCR205 | 3'0" x 6'8"

CCR8205 | 3'0" x 8'0" | 3'6" x 8'0"



CCR040

3'0" x 6'8"

CCR8222


3'0" x 8'0" | 3'6" x 8'0"

Classic Craft Canvas Collection



CCR200 | 3'0" x 6'8"

CCR8200 | 3'0" x 8'0"



CCR100 | 3'0" x 6'8"

CCR8100 | 3'0" x 8'0"



CCV205 | 3'0" x 6'8"

CCV8205 | 3'0" x 8'0"



CCV220 | 3'0" x 6'8"

CCV8220 | 3'0" x 8'0"



CCV050

3'0" x 6'8"

Fiber-Classic®

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



Smooth-Star®

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Pulse®

A contemporary series of fiberglass and steel doors with glass designs that can be combined to make a bold statement.



Steel

Bring style and affordability together to create attractive entries with our steel doors.



Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.

1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.* Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood**, Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.

*Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.ca for details.

**Comparison of fiberglass to wood doors (both without glass).

Fiber-Classic, Smooth-Star & Steel Glass Options



Brushed Nickel

Echelon

Glass Privacy Rating: 1



Brass



Brushed Nickel

Latitude

Glass Privacy Rating: 2




Brass



Brushed Nickel

Calix

Glass Privacy Rating: 1



Brass



Black Nickel

Sedona

Glass Privacy Rating: 7



Black Nickel

Maple Park®

Glass Privacy Rating: 6



Brushed Nickel



Brushed Nickel

Saratoga™

Glass Privacy Rating: 7



Black Nickel

Axis®

Glass Privacy Rating: 7



Black Nickel

Pembridge™

Glass Privacy Rating: 7



Brushed Nickel



Brass



Brushed Nickel

Concorde™

Glass Privacy Rating: 8

Glass Privacy Rating Scale



Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass.

Also Available:

- EnLiten™ Flush-Glazed (🔥)
- Privacy & Textured Glass
- Divided Lites
- Internal Blinds
- Screen Vented
- Low-E Glass
- Solid Panel



1. Smooth-Star, Low-E Glass – S4200-SDLF1- Finish Copper Mountain 2. Smooth-Star, Satin Etch Glass – S8691XE-SDLF2 - Finish Alpine White

EnLiten™ Flush-Glazed

Fiberglass doors with SDL bars

Our 3-1/2" and 5-1/2" wide SDL bar options provide exceptional flexibility to craft a diverse range of glass door designs, perfect for contemporary residential and commercial architecture.

Flush-Glazed SDL fiberglass doors are available with various Privacy and Textured Glass options, combining style and functionality. Designed with aesthetics, energy efficiency, and low maintenance in mind, these doors deliver both beauty and performance.

Doors are available in 6'8" and 8'0" heights and 2'6" through 3'0" widths to suit a variety of applications.

Explore some of our most popular designs below, or contact us for custom design options tailored to your needs.

Flush-Glazed warranty rider applies.

Smooth-Star® (6'8" & 8'0" with 5-1/2" bars)



S2M5 | 🔥 ⚡ S3E5 | 🔥 ⚡ S4E5 | 🔥 ⚡ S5E5 | 🔥 ⚡



S6E5 | 🔥 ⚡ S7E5 | 🔥 ⚡ S8E5 | 🔥 ⚡ S2V5 | 🔥 ⚡



S3V5 | 🔥 ⚡ S3T5 | 🔥 ⚡ S8M5 | 🔥 ⚡ S83E5 | 🔥 ⚡


Privacy & Textured Glass




Low-E (LE) 1 Satin Etch (XE) 10 Chord (XC) 10 Chinchilla (XJ) 10



Rainglass (XR) 8 Granite (XN) 10 Reeded (XK) 7



S84E5 | 🔥 ⚡ S85E5 | 🔥 ⚡ S86E5 | 🔥 ⚡ S87E5 | 🔥 ⚡ S88E5 | 🔥 ⚡ S89E5 | 🔥 ⚡ S82V5 | 🔥 ⚡ S83V5 | 🔥 ⚡ S83T5 | 🔥 ⚡



Smooth-Star (6'8" & 8'0" with 3-1/2" bars)



Key


- 🔥 Flush-Glazed Glass (FG)
- ☀️ Low-E Glass (LE)

ENLITEN™ FLUSH-GLAZED | LOW-E, PRIVACY & TEXTURED



Left Page: Smooth-Star, Satin Etch Glass – S691XE and S85700XE-SDLF2 Right Page: 1. Smooth-Star, Satin Etch Glass – S85700XE-SDLF1 2. Smooth-Star, Low-E Glass – S5720-SDLF2


Fiber-Classic® Oak Collection




2000 | 2'8" x 6'8" | 3'0" x 6'8" | 🔥 ⚡ ☽
8000 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0" | 🔥 ⚡ ☽



2000SL
 12" x 6'8" | 14" x 6'8" | 🔥 ⚡ ☽




FC5700 | 2'6" x 6'8" ⚡ | 2'8" x 6'8" ⚡
 2'10" x 6'6" | 3'0" x 6'8" ⚡ | 🔥 ⚡ 2 ☽
FC85700 | 2'6" x 8'0" | 2'8" x 8'0"
 2'10" x 8'0" | 3'0" x 8'0" | 🔥 ⚡ 2 ☽



FC5710 | 2'6" x 6'8" ⚡ | 2'8" x 6'8" ⚡
 2'10" x 6'6" | 3'0" x 6'8" ⚡ | 🔥 ⚡ 2 ☽
FC85710 | 2'6" x 8'0" | 2'8" x 8'0"
 2'10" x 8'0" | 3'0" x 8'0" | 🔥 ⚡ 2 ☽


Smooth-Star® Collection




FC5720 | 2'6" x 6'8" ⚡ | 2'8" x 6'8" ⚡
 2'10" x 6'8" | 3'0" x 6'8" ⚡ | 🔥 ⚡ 2 ☽
FC85720 | 2'6" x 8'0" | 2'8" x 8'0"
 2'10" x 8'0" | 3'0" x 8'0" | 🔥 ⚡ 2 ☽



S4810 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | 🔥 ⚡
S84810 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | 🔥 ⚡




S4810SL | 12" x 6'8"
 14" x 6'8" | 🔥 ⚡
S84810SL | 12" x 8'0"
 14" x 8'0" | 🔥 ⚡




S4812 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | 🔥 ⚡ 1
S84812 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | 🔥 ⚡ 1




S4813 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | 🔥 ⚡ 1
S84813 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | 🔥 ⚡ 1



S4814 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | 🔥 ⚡ 1
S84814 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | 🔥 ⚡ 1



S4816 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | 🔥 ⚡ 1
S84816 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | 🔥 ⚡ 1



S4812SL | 12" x 6'8"
 14" x 6'8" | 🔥 ⚡ 1
S84812SL | 12" x 8'0"
 14" x 8'0" | 🔥 ⚡ 1

Key

- Flush-Glazed Glass (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)*
- Simulated Divided Lites (SDLF1)*
- Simulated Divided Lites (SDLF2)*
- Flat White Grilles Between Glass Only (GBGFW)
- Vented Sidelite
(6'6" & 6'8" only in 12" & 14" | 8'0" only in 14")
- 6'6" Height Available
- 7'0" Height Available
- Rapid Ship

Optional Dentil Shelves

Available for Craftsman-style doors.



Smooth-Star 4-Block*

*Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.

Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.



S3200* | 2'8" x 6'8" † | 2'10" x 6'8" †
3'0" x 6'8" † | 🔥 ⚡

S82300* | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | 🔥 ⚡

S3200SL* | 12" x 6'8"
14" x 6'8" | 🔥 ⚡

S83200SL* | 12" x 8'0"
14" x 8'0" | 🔥 ⚡

S2100
2'8" x 6'8"
3'0" x 6'8"
🔥 ⚡

*Available with Simulated Divided Lites options



S2000 | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8" | 🔥 ⚡ ☹

S8000 | 2'8" x 8'0" | 3'0" x 8'0"
🔥 ⚡ ☹



S2000SL | 10" x 6'8" ▲ | 12" x 6'8" ▲
14" x 6'8" ▲ | 🔥 ⚡ 🌈 ☹

S8000SL | 12" x 8'0" | 14" x 8'0"
🔥 ⚡ ☹



S2000SL-2C | 10" x 6'8" ▲ | 12" x 6'8" ▲
14" x 6'8" ▲ | 🔥 ⚡ 🌈 🌈 ☹

S2000SL-4C | 10" x 6'8" ▲ | 12" x 6'8" ▲
14" x 6'8" ▲ | 🔥 ⚡ 🌈 🌈 ☹



S5700 | 2'6" x 6'8" ▲ | 2'8" x 6'8" ▲
2'10" x 6'8" ▲ | 3'0" x 6'8" ▲ | 🔥 ⚡ 🌈 ☹

S85700 | 2'6" x 8'0" | 2'8" x 8'0"
2'10" x 8'0" | 3'0" x 8'0" | 🔥 ⚡ 🌈 ☹



S5710 | 2'6" x 6'8" ▲ | 2'8" x 6'8" ▲
2'10" x 6'8" ▲ | 3'0" x 6'8" ▲ | 🔥 ⚡ 🌈 ☹

S85710 | 2'6" x 8'0" | 2'8" x 8'0"
2'10" x 8'0" | 3'0" x 8'0" | 🔥 ⚡ 🌈 ☹



S5720 | 2'6" x 6'8" ▲ | 2'8" x 6'8" ▲
2'10" x 6'8" ▲ | 3'0" x 6'8" ▲ | 🔥 ⚡ 🌈 ☹

S85720 | 2'6" x 8'0" | 2'8" x 8'0"
2'10" x 8'0" | 3'0" x 8'0" | 🔥 ⚡ 🌈 ☹




S5700SL | 10" x 6'8"
12" x 6'8" | 14" x 6'8"
🔥 ⚡ 🌈 ☹

S85700SL | 12" x 8'0"
14" x 8'0" | 🔥 ⚡ 🌈 ☹



S5710SL | 10" x 6'8"
12" x 6'8" | 14" x 6'8"
🔥 ⚡ 🌈 ☹

S85710SL | 12" x 8'0"
14" x 8'0" | 🔥 ⚡ 🌈 ☹



S5720SL | 10" x 6'8"
12" x 6'8" | 14" x 6'8"
🔥 ⚡ 🌈 ☹

S85720SL | 12" x 8'0"
14" x 8'0" | 🔥 ⚡ 🌈 ☹



S2200 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | 🔥 ⚡

S82200 | 2'6" x 8'0" | 2'8" x 8'0"
2'10" x 8'0" | 3'0" x 8'0" | 🔥 ⚡



S5730 | 2'6" x 6'8" ▲ | 2'8" x 6'8" ▲
2'10" x 6'8" ▲ | 3'0" x 6'8" ▲ | 🔥 ⚡ 🌈 ☹

S85730 | 2'6" x 8'0" | 2'8" x 8'0"
2'10" x 8'0" | 3'0" x 8'0" | 🔥 ⚡ 🌈 ☹




S90SL
12" x 6'8"
14" x 6'8"
🔥 ⚡



Fiber-Classic Mahogany, Chinchilla Glass – FCM4814XJ-SDLF1



Echelon: Fiber-Classic® Mahogany Collection



FCM2233 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" |


FCM82233 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" |

FCM2385 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" |

FCM82385 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"

FCM82233SL
12" x 8'0" | 12" x 8'0"

Fiber-Classic Oak Collection



FCM2385SL | 10" x 6'8"
12" x 6'8" | 14" x 6'8"

FCM82385SL | 12" x 8'0"
14" x 8'0" |


FC2233 | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"

FC82233 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" |

FC2385 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"

FC82385 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"

Smooth-Star® Collection



FC84527
2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" |

FC2233SL | 10" x 6'8" | 12" x 6'8"
14" x 6'8" |

FC82233SL | 12" x 8'0" | 14" x 8'0"

FC2385SL | 12" x 6'8"
14" x 6'8" |

FC82385SL | 12" x 8'0" | 14" x 8'0"

S2233 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" |

S82233 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"

Key

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming
- No Stile Lines

- Vented Sidelite
(6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- 6'6" Height Available
- 7'0" Height Available

- Scrolled & Flat Advanta Lite Frame
(Not available for 2'4" and 2'6" door or 10" sidelites)
- Flat Advanta Lite Frame
(Not available for 2'4" and 2'6" door or 10" sidelites)

- Flat Lite Frame
- WBDR/HVHZ Options
- WBDR Options

Left Page: Smooth-Star, Echelon Glass with Flat Lite Frame, Door - S222-FF3 Right Page: Fiber-Classic Oak, Latitude Glass with Flat Lite Frame, Door - FC4525-FF

Fiber-Classic® Oak Collection



FC2213 | 2'8" x 6'8" \ddagger | 2'10" x 6'8" \ddagger
3'0" x 6'8" \ddagger | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

FC2213 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"
 $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$



FC2382 | 2'8" x 6'8" Δ \ddagger | 2'10" x 6'8" Δ \ddagger | 3'0" x 6'8" Δ \ddagger
 $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

FC82382 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$



FC476
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$



FC4525 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

FC84525 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$




FC8498
2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$



FC2213SL | 10" x 6'8" | 12" x 6'8"
14" x 6'8" | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

FC82213SL | 12" x 8'0" | 14" x 8'0"
 $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$



FC4525SL | 12" x 6'8" | 14" x 6'8"
 $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

FC84525SL | 12" x 8'0" | 14" x 8'0"
 $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$




FC8498SL
12" x 8'0" | 14" x 8'0"
 $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

Smooth-Star® Collection




FC2382SL | 12" x 6'8" Δ \ddagger | 14" x 6'8" Δ \ddagger | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

FC82382SL | 12" x 8'0" | 14" x 8'0"
 $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$



S2213 | 2'8" x 6'8" \ddagger | 2'10" x 6'8" \ddagger | 3'0" x 6'8" \ddagger | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

S82213 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"
 $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$



S2382 | 2'8" x 6'8" Δ \ddagger | 2'10" x 6'8" Δ \ddagger | 3'0" x 6'8" Δ \ddagger | 3'6" x 6'8" | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

S82382 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"
3'6" x 8'0" | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$



S476
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | $\color{red}\blacksquare$ $\color{blue}\blacklozenge$ $\color{green}\blacklozenge$ $\color{orange}\blacklozenge$ $\color{yellow}\blacklozenge$ $\color{purple}\blacklozenge$

Key

- $\color{orange}\blacklozenge$ Black Nickel Caming (1D)
- $\color{grey}\blacksquare$ Brushed Nickel Caming (1C)
- $\color{orange}\blacklozenge$ Brass Caming
- $\color{red}\blacksquare$ No Stile Lines

- $\color{blue}\bullet$ Vented Sidelite
(6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- Δ 6'6" Height Available
- \ddagger 7'0" Height Available

- $\color{blue}\blacklozenge$ Scrolled & Flat Advanta Lite Frame
(Not available for 2'4" and 2'6" door or 10" sidelites)
- $\color{green}\blacklozenge$ Flat Advanta Lite Frame
(Not available for 2'4" and 2'6" door or 10" sidelites)


- $\color{blue}\blacklozenge$ Flat Lite Frame
- $\color{red}\blacklozenge$ WBDR/HVHZ Options
- $\color{blue}\blacklozenge$ WBDR Options



FCM6975
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" |



FCM82223SL
 12" x 8'0" | 12" x 8'0"



FCM2389SL | 10" x 6'8" | 12" x 6'8" †
 14" x 6'8" † |
FCM82389SL | 12" x 8'0" | 14" x 8'0"



FCM4521SL | 12" x 6'8" | 14" x 6'8"


FCM84521SL | 12" x 8'0" | 14" x 8'0"

Fiber-Classic® Oak Collection




FCM387SL | 12" x 6'8" | 14" x 6'8"

FCM8386SL | 12" x 8'0" | 14" x 8'0"



FC2223 | 2'8" x 6'8" † | 2'10" x 6'8" †
 3'0" x 6'8" † |
FC82223 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"



FC2389 | 2'8" x 6'8" † | 2'10" x 6'8" †
 3'0" x 6'8" † |
FC82389 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"




FC389
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" |




FC4521 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" |
FC84521 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" |




FC386 | 2'6" x 6'8" | 2'8" x 6'8" †
 2'10" x 6'8" † | 3'0" x 6'8" † |
FC8386 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" |



FC2223SL | 10" x 6'8" | 12" x 6'8"
 14" x 6'8" |
FC82223SL | 12" x 8'0" | 14" x 8'0"



FC2389SL | 12" x 6'8" † | 12" x 6'8" † |
FC82389SL | 12" x 8'0" | 14" x 8'0"



FC4521SL | 12" x 6'8" | 14" x 6'8"


FC84521SL | 12" x 8'0" | 14" x 8'0"



FC387SL | 12" x 6'8" | 14" x 6'8"


FC8386SL | 12" x 8'0" | 14" x 8'0"

Smooth-Star® Collection



S2223 | 2'8" x 6'8" † | 2'10" x 6'8" †
3'0" x 6'8" † | ■ 6 E ◆ ◆ ◆ ◆

S82223 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"
■ 6 ◆ ◆ ◆ ◆




S2389 | 2'8" x 6'8" ▲ † | 2'10" x 6'8" ▲ †
3'0" x 6'8" ▲ † | 3'6" x 6'8" | ■ 6 E ◆ ◆ ◆ ◆

S82389 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"
3'6" x 8'0" | ■ 6 E ◆ ◆ ◆ ◆




S389

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ■ 6




S4521 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ■ 6

S84521 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ■ 6




S386 | 2'6" x 6'8" | 2'8" x 6'8" †
2'10" x 6'8" † | 3'0" x 6'8" † | ■ 6 E ◆ ◆ ◆ ◆

S8386 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ■ 6 E ◆ ◆ ◆ ◆



S387 | 2'8" x 6'8" † | 2'10" x 6'8" †
3'0" x 6'8" † | ■ 6 E ◆ ◆ ◆ ◆

S8387 | 2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"
■ 6 E ◆ ◆ ◆ ◆




S4310 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ■ 6 E ◆ ◆ ◆ ◆

S84310 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ■ 6 E ◆ ◆ ◆ ◆




S394

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ■ 6 ◆ ◆ ◆ ◆




S6975 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ■ 6 ◆ ◆ ◆ ◆

S86975 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ■ 6 ◆ ◆ ◆ ◆




S3540* | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ■ 6 E ◆ ◆ ◆ ◆

S83540* | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ■ 6 E ◆ ◆ ◆ ◆




S2223SL | 12" x 6'8" | 14" x 6'8"
■ 6 ◆ ◆ ◆ ◆

S82223SL | 12" x 8'0" | 14" x 8'0"
■ 6 ◆ ◆ ◆ ◆



S2389SL | 12" x 6'8"
14" x 6'8" | ■ 6 E ◆ ◆ ◆ ◆

S82389SL | 12" x 8'0"
14" x 8'0" | ■ 6 E ◆ ◆ ◆ ◆



S4521SL | 12" x 6'8" | 14" x 6'8" | ■ 6 ◆ ◆ ◆ ◆

S84521SL | 12" x 8'0" | 14" x 8'0" | ■ 6 ◆ ◆ ◆ ◆



S387SL | 12" x 6'8" | 14" x 6'8" | ■ 6 ◆ ◆ ◆ ◆

S8386SL | 12" x 8'0" | 14" x 8'0" | ■ 6 ◆ ◆ ◆ ◆

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming
- No Stile Lines
- Vented Sidelite (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- ▲ 6'6" Height Available
- † 7'0" Height Available
- Scrolled & Flat Advanta Lite Frame (Not available for 2'4" and 2'6" door or 10" sidelites)
- Flat Advanta Lite Frame (Not available for 2'4" and 2'6" door or 10" sidelites)
- Flat Lite Frame
- WBDR/HVHZ Options
- WBDR Options



Sedona: Fiber-Classic® Mahogany Collection



FCM100

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ⊕



FCM131

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ⊕



FCM101

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ⊕



FCM6025

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ⊕



FCM6045

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ⊕

Fiber-Classic Oak Collection



FCM604

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆



FCM131SL

12" x 6'8" | 14" x 6'8"
◆ ⊕



FC100

2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
◆ ⊕



FC131

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ⊕



FC773 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ⊕



81954P | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ◆ ⊕



FC101 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ⊕

81936P | 3'0" x 8'0" | ◆ ⊕



FC128

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ⊕



FC100SL

12" x 6'8" | 14" x 6'8"
◆ ⊕



FC131SL | 12" x 6'8"
14" x 6'8" | ◆ ⊕

81954PSL | 12" x 8'0"
14" x 8'0" | ◆ ⊕



FC101SL | 12" x 6'8"
14" x 6'8" | ◆ ⊕

81936PSL | 12" x 8'0"
14" x 8'0" | ◆ ⊕

Smooth-Star® Collection



S139
 2'6" x 6'8" | 2'8" x 6'8"
 2'10" x 6'8" | 3'0" x 6'8"
 ◆ ⊕



S95
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕



S91 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕
S887 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | ◆ ⊕



S211
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕




S6025
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕




S6045
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕



S294
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕



S2650* | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕ ⊓
S82650* | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | ◆ ⊕ ⊓




S604 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆



S8604 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | ◆



S139SL
 12" x 6'8" | 14" x 6'8" | ◆ ⊓ ⊕



S91SL | 12" x 6'8" | 14" x 6'8"
S887SL | 12" x 8'0" | 14" x 8'0" | ◆ ⊕



S294SL | 12" x 6'8" | 14" x 6'8" | ◆ ⊕
S85915SL | 12" x 8'0" | 14" x 8'0" | ◆ ⊕

Key

- ◆ Black Nickel Caming (1D)
- ⊓ Flat Lite Frame
- ⊕ Rapid Ship

Optional Dentil Shelves



4-Block Dentil Shelf**
 Available for all Craftsman-style
 Fiber-Classic Mahogany doors.



4-Block Dentil Shelf**
 Available for all Craftsman-style
 Smooth-Star doors.

*Available with flat lite frame only.

**Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.

Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.

Left Page: Smooth-Star, Sedona Glass with Flat Lite Frame, Door - S2650, Sidelites - S139SL, Transom - 19220T



Maple Park®: Fiber-Classic® Mahogany Collection



FCM900

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ■ ☺



FCM1006

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ■ ◆ ■ ☺



FCM901

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ■ ☺



FCM6107

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ■ ☺



FCM6108

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ■ ☺



FCM609

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ■ ☺



FCM812SL

10" x 6'8" | 12" x 6'8"
14" x 6'8" | ■ ◆ ■ ☺



FC902SL | 12" x 6'8" | 14" x 6'8"

◆ ■ ☺
FCM887SL | 12" x 8'0" | 14" x 8'0"



FCM901SL | 12" x 6'8" | 14" x 6'8"

◆ ■ ☺
FCM886SL | 12" x 8'0" | 14" x 8'0"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ☺ Flat Lite Frame
- ☺ 7'0" Height Available
- ☺ Rapid Ship

Fiber-Classic Oak Collection



FC900

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ■ ☺



FC1006

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ■ ◆ ■ ☺



FC902

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ◆ ■ ☺



FC777

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ◆ ■ ☺



FC901

2'6" x 6'8"
2'8" x 6'8" | ■ ◆ ■ ☺
2'10" x 6'8"
3'0" x 6'8" | ■ ◆ ■ ☺



FC903

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ◆ ■ ☺



FC900SL

10" x 6'8" | 12" x 6'8"
14" x 6'8" | ◆ :: ☺



FC812SL

12" x 6'8" † | 14" x 6'8" †
◆ ◆ ◆ ☺




FC902SL | 12" x 6'8" | 14" x 6'8" | ◆ :: ☺
81957PSL | 12" x 8'0" | 14" x 8'0" | ◆ :: ☺



FC901SL | 12" x 6'8" | 14" x 6'8" | ◆ :: ☺
81939PSL | 12" x 8'0" | 14" x 8'0" | ◆ :: ☺

Smooth-Star® Collection



S6100

2'8" x 6'8" † | 2'10" x 6'8" †
3'0" x 6'8" † | ◆ :: ☺



S1006

2'8" x 6'8" † | 2'10" x 6'8" †
3'0" x 6'8" † | 3'6" x 6'8"
◆ ◆ :: ☺



S6103 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ :: ☺
S85898 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ◆ :: ☺



S6101

2'8" x 6'8" † | 2'10" x 6'8" †
3'0" x 6'8" † | ◆ ◆ :: ☺




S6107

2'8" x 6'8" † | 2'10" x 6'8" †
3'0" x 6'8" † | ◆ ◆ :: ☺



S6108

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ :: ☺




S6104


2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ :: ☺



S2630* | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ :: ↙
S82630* | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ◆ :: ↙



S609 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ :: ☺
S8609 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ◆ ◆ :: ☺




S6100SL

12" x 6'8" | 14" x 6'8"
◆ :: ↙ ☺



S6131SL

10" x 6'8" | 12" x 6'8" †
14" x 6'8" † | ◆ ◆ ◆ ☺



S6102SL | 12" x 6'8"
14" x 6'8" | ◆ :: ☺
S85898SL | 12" x 8'0"
14" x 8'0" | ◆ :: ☺



S6101SL


12" x 6'8" | 14" x 6'8"
◆ ◆ :: ☺

Optional Dentil Shelves



4-Block Dentil Shelf**

Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf**

Available for all Craftsman-style Smooth-Star doors.

*Available with flat lite frame only.

**Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.

Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.

Left Page: Smooth-Star, Maple Park Glass - S6102



Saratoga™: Fiber-Classic® Mahogany Collection



FCM905
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☹



FCM907
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☹



FCM906
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☹



FCM6029
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☹



FCM6049
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☹



FCM602
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺



FCM707
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺

Fiber-Classic Oak Collection



FCM907SL
12" x 6'8" | 14" x 6'8"
☺☹



FCM906SL
12" x 6'8" | 14" x 6'8"
☺☹



FC905
2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
☺☹



FC907
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺☹



FC776 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺☹
81956P | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ☺☹



FC906
2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
☺☹



FC908
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺☹



FC707
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺



FC905SL
12" x 6'8" | 14" x 6'8"
☺☹



FC907SL | 12" x 6'8" | 14" x 6'8"
☺☹
81956PSL | 12" x 8'0" | 14" x 8'0"
☺☹



FC906SL | 12" x 6'8" | 14" x 6'8"
☺☹
81938PSL | 12" x 8'0" | 14" x 8'0"
☺☹

Smooth-Star® Collection



S6093
 2'6" x 6'8" | 2'8" x 6'8"
 2'10" x 6'8" | 3'0" x 6'8"
 ■ ■ ■ ☺



S6092
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ■ ■ ☺



S982 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ■ ■ ☺
S891 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | ■ ■ ☺



S213
 2'6" x 6'8" | 2'8" x 6'8"
 2'10" x 6'8" | 3'0" x 6'8"
 ■ ■ ☺



S6029
 2'6" x 6'8" | 2'8" x 6'8"
 2'10" x 6'8" | 3'0" x 6'8"
 ■ ■ ☺




S6049
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ■ ■ ☺




S291
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ■ ■ ☺




S2660* | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ■ ■ ↙
S82660* | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | ◆ ■ ■ ↙




S602 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ■ ■
S8602 | 2'8" x 8'0" | 3'0" x 8'0"
 ■ ■



S707
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ■ ■



S154SL
 12" x 6'8" | 14" x 6'8"
 ■ ■ ↙ ☺



S6092SL | 12" x 6'8" | 14" x 6'8" | ■ ■ ☺
S891SL | 12" x 8'0" | 14" x 8'0" | ■ ■ ☺



S291SL | 12" x 6'8" | 14" x 6'8" | ■ ■ ☺
S85917SL | 12" x 8'0" | 14" x 8'0" | ■ ■ ☺



Key

- No Stile Lines
- ■ Brushed Nickel Caming (1C)
- ↙ Flat Lite Frame
- ☺ Rapid Ship

Optional Dentil Shelves

4-Block Dentil Shelf**

Available for all Craftsman-style Fiber-Classic Mahogany doors.

4-Block Dentil Shelf**

Available for all Craftsman-style Smooth-Star doors.


*Available with flat lite frame only.

**Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.

Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.

Left and Right Page: Fiber-Classic, Saratoga Flush-Glazed Glass – FCM86240





Smooth-Star, Axis Glass - S1650

Axis®: Fiber-Classic® Mahogany Collection

<p>FCM1652 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" ◆</p>	<p>FCM1651 2'4" x 6'8" ☺ 2'6" x 6'8" ☺ 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" † ◆ ◆</p>	<p>FCM81651 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" ◆ ◆</p>	<p>FCM1654 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" ◆ ☺</p>	<p>FCM1656 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" ◆ ☺</p>	<p>FCM1658 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" ◆ ☺</p>
				<div style="border: 1px solid #ccc; padding: 10px;"> <p>Key</p> <ul style="list-style-type: none"> ■ No Stile Lines ◆ Black Nickel Caming (1D) └ Flat Lite Frame † 7'0" Height Available ☺ Rapid Ship </div>	
<p>FCM1650 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" ◆</p>	<p>FCM1651SL 10" x 6'8" 12" x 6'8" † 14" x 6'8" † ◆ ◆</p> <p>FCM81651SL 12" x 8'0" 14" x 8'0" ◆ ◆</p>	<p>FCM1646SL 12" x 6'8" 14" x 6'8" ◆ ☺</p> <p>FCM81646SL 12" x 8'0" 14" x 8'0" ◆</p>	<p>FCM1656SL 12" x 6'8" 14" x 6'8" ◆ ☺</p> <p>FCM81654SL 12" x 8'0" 14" x 8'0" ◆</p>	<p>Top Left Page: Smooth-Star, Axis Glass - S1650</p>	

Fiber-Classic Oak Collection

<p>FC1652 2'6" x 6'8" ☺ 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" † ◆</p> <p>FC81652 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" ◆</p>	<p>FC1651 2'4" x 6'8" ☺ 2'6" x 6'8" ☺ † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" † ◆ ◆</p> <p>FC81651 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" ◆ ◆</p>	<p>FC1646 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" ◆</p> <p>FC81646 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" ◆</p>	<p>FC1654 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" † ◆ ☺</p> <p>FC81654 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" ◆</p>				



FC1661
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕



FC1652SL | 10" x 6'8" | 12" x 6'8"
 14" x 6'8" | ◆ ⊕
FC81652SL | 12" x 8'0" | 14" x 8'0" | ◆



FC1651SL | 12" x 6'8" † | 14" x 6'8" †
 ◆ ⊕
FC81651SL | 12" x 8'0" | 14" x 8'0"
 ◆ ⊕



FC1646SL | 12" x 6'8" | 14" x 6'8"
 ◆ ⊕
FC81646SL | 12" x 8'0" | 14" x 8'0"
 ◆

Smooth-Star® Collection



FC1656SL | 12" x 6'8" | 14" x 6'8"
 ◆ ⊕
FC81654SL | 12" x 8'0" | 14" x 8'0"
 ◆



S1652 | 2'6" x 6'8" ⊕ | 2'8" x 6'8" †
 2'10" x 6'8" † | 3'0" x 6'8" † | ◆
S81652 | 2'6" x 8'0" | 2'8" x 8'0"
 2'10" x 8'0" | 3'0" x 8'0" | ◆



S1651 | 2'4" x 6'8" ⊕ | 2'6" x 6'8" ⊕
 2'8" x 6'8" † | 2'10" x 6'8" †
 3'0" x 6'8" † | 3'6" x 6'8" | ◆
S81651 | 2'6" x 8'0" | 2'8" x 8'0"
 2'10" x 8'0" | 3'0" x 8'0" | 3'6" x 8'0"
 ◆ ◆



S1646 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆
S81646 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | ◆




S1654 | 2'6" x 6'8" | 2'8" x 6'8" †
 2'10" x 6'8" † | 3'0" x 6'8" † | ◆ ⊕
S81654 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | ◆




S1656
 2'6" x 6'8" | 2'8" x 6'8" †
 2'10" x 6'8" † | 3'0" x 6'8" †
 ◆ ⊕



S1658
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕




S2620* | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕
S82620* | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | ◆ ⊕



S1650 | 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆
S81650 | 2'8" x 8'0" | 2'10" x 8'0"
 3'0" x 8'0" | ◆




S1661
 2'8" x 6'8" | 2'10" x 6'8"
 3'0" x 6'8" | ◆ ⊕



S1652SL | 12" x 6'8" | 14" x 6'8"
 ◆ ⊕
S81652SL | 12" x 8'0" | 14" x 8'0" | ◆



S1651SL | 10" x 6'8" | 12" x 6'8" †
 14" x 6'8" † | ◆ ⊕
S81651SL | 12" x 8'0" | 14" x 8'0" | ◆ ⊕



S1646SL | 12" x 6'8" | 14" x 6'8" | ◆ ⊕
S81646SL | 12" x 8'0" | 14" x 8'0" | ◆



S1656SL | 12" x 6'8" | 14" x 6'8" | ◆ ◁

S81654SL | 12" x 8'0" | 14" x 8'0" | ◆

Key


- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- └ Flat Lite Frame
- ⌚ Rapid Ship

Optional Dentil Shelves



4-Block Dentil Shelf**

Available for all Craftsman-style Fiber-Classic Mahogany doors.



4-Block Dentil Shelf**

Available for all Craftsman-style Smooth-Star doors.

*Available with flat lite frame only.


**Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.

Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass.

See your Thermo-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.

Left Page Middle: Fiber-Classic, Axis Glass - FCM1652 Left Page Bottom: Smooth-Star, Axis Glass - S1652

Right Page: Smooth-Star, Pembridge Glass - S745





Pembridge™: Fiber-Classic® Mahogany Collection



FCM6550
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FCM6582
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FCM6560
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FCM6565
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FCM6568
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FCM6520
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆

Fiber-Classic Oak Collection



FCM745
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FCM6580SL
12" x 6'8" | 14" x 6'8"
◆ ◆ ◆



FCM6565SL
12" x 6'8" | 14" x 6'8"
◆ ◆ ◆



FC6550
2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
◆ ◆ ◆



FC6582
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FC6580 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FC86580 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ◆ ◆ ◆



FC6560
2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
◆ ◆ ◆




FC6572
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FC745
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆



FC6550SL
12" x 6'8" | 14" x 6'8"
◆ ◆ ◆



FC6580SL | 12" x 6'8"
14" x 6'8" | ◆ ◆ ◆
FC86580SL | 12" x 8'0"
14" x 8'0" | ◆ ◆ ◆



FC6565SL | 12" x 6'8"
14" x 6'8" | ◆ ◆ ◆
FC86560SL | 12" x 8'0"
14" x 8'0" | ◆ ◆ ◆

Smooth-Star® Collection



S6500

2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
◆ ◆ ◆ ◆



S6582

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆ ◆



S6580 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆ ◆
S86580 | 2'8" x 8'0" | 3'0" x 8'0"
◆ ◆ ◆ ◆



S6560

2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
◆ ◆ ◆ ◆



S6565

2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
◆ ◆ ◆ ◆



S6568

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆ ◆



S6572


2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆ ◆



S2640* | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆ ◆
S82640* | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ◆ ◆ ◆ ◆



S6520 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆ ◆
S86520 | 2'8" x 8'0" | 3'0" x 8'0"
◆ ◆ ◆ ◆




S745

2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ◆ ◆ ◆ ◆



S6550SL

12" x 6'8" | 14" x 6'8"
◆ ◆ ◆ ◆



S6580SL | 12" x 6'8"
14" x 6'8" | ◆ ◆ ◆ ◆
S86580SL | 12" x 8'0"
14" x 8'0" | ◆ ◆ ◆ ◆



S6565SL | 12" x 6'8"
14" x 6'8" | ◆ ◆ ◆ ◆
S86560SL | 12" x 8'0"
14" x 8'0" | ◆ ◆ ◆ ◆

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- └ Flat Lite Frame
- ⌚ Rapid Ship

Optional Dentil Shelves



4-Block Dentil Shelf**

Available for all Craftsman-style
Fiber-Classic Mahogany doors.



4-Block Dentil Shelf**

Available for all Craftsman-style Smooth-Star doors.

*Available with flat lite frame only.

**Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.

Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass.

See your Therma-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.

Left Page: Smooth-Star, Pembridge Glass – S6560
Right Page: Smooth-Star, Concorde Glass – S6090





Concorde™: Fiber-Classic® Mahogany Collection



FCM910
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☺



FCM912
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☺



FCM911
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☺



FCM6026
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☺



FCM6046
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☺



FCM735
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | ☺☺



FCM912SL
12" x 6'8" | 14" x 6'8"
☺☺

Fiber-Classic Oak Collection



FCM911SL
12" x 6'8" | 14" x 6'8"
☺☺



FC910
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺☺



FC912
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺☺



FC780 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺☺
81960P | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ☺☺



FC911 | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8" | ☺☺
81942P | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ☺☺




FC913
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺☺



FC910SL | 12" x 6'8" | 14" x 6'8" | ☺☺
81928PSL | 12" x 8'0" | 14" x 8'0" | ☺☺



FC912SL | 12" x 6'8" | 14" x 6'8" | ☺☺
81960PSL | 12" x 8'0" | 14" x 8'0" | ☺☺



FC911SL | 12" x 6'8" | 14" x 6'8" | ☺☺
81942PSL | 12" x 8'0" | 14" x 8'0" | ☺☺



Smooth-Star® Collection



S6090
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" :: ☺



S912
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" :: ☺



S97 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" :: ☺
S85902 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" :: ☺



S426
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" :: ☺



S6026
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" :: ☺




S6046
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" :: ☺




S430
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" :: ☺



S735 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" :: ☺
S8735 | 2'8" x 8'0" | 3'0" x 8'0" :: ☺



S416SL | 12" x 6'8"
14" x 6'8" :: ☺ ⚡ ☺
S85895SL | 12" x 8'0"
14" x 8'0" :: ☺



S757SL | 12" x 6'8"
14" x 6'8" :: ☺
S85902SL | 12" x 8'0"
14" x 8'0" :: ☺



S430SL | 12" x 6'8" | 14" x 6'8" :: ☺
S85920SL | 12" x 8'0" | 14" x 8'0" :: ☺

Key

- ☺ Brushed Nickel Caming (1C)
- No Stile Lines
- Vented Sidelite
(6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- ⚡ Rapid Ship


Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass.

See your Therma-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.

Left Page: Fiber-Classic, Concorde Glass – FC912 and FC735



Fiber-Classic® Mahogany Collection



FCM10_
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



FCM32_
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



FCM62_
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



FCM6021_
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



FCM6041_
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺




FCM601_
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"

Fiber-Classic Oak Collection



FCM12101_SL (Full Lite)
12" x 6'8" | 14" x 6'8" | ● ●
FCM62_SL (Craftsman Lite)
12" x 6'8" | 14" x 6'8"



FC10_ | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"
81200P_ | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



FC766_ | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"
81943P_ | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



FC32_
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



FC62_ | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺
81929P_ | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



FC61_ | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
FC861_ | 2'6" x 8'0" | 2'8" x 8'0"
3'0" x 8'0"



FC47_SL
10" x 6'8" | 12" x 6'8" | 14" x 6'8"



FC32_SL | 12" x 6'8" | 14" x 6'8"
81943P_SL | 12" x 8'0" | 14" x 8'0"

Smooth-Star Collection




S118_
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"



S140_
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ● ☺




S90_ | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺
S880_ | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ☺



S206_ | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺
S6021_ | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ☺



S6041_
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ☺



S601_ | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"

S8600_ | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



S2610_ | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" |  

S82610_ | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" |  



S100_SL

12" x 6'8" | 14" x 6'8" | 





S751_SL

12" x 6'8" | 14" x 6'8"

S880_SL

12" x 8'0" | 14" x 8'0"

Key

-  **Vented Sidelite**
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
-  **Flat White Grilles
Between Glass Only
(GBGFW)**
-  **Rapid Ship**
-  **No Stile Lines**
-  **Low-E Glass (LE)**
-  **Flat Lite Frame**

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

- XE = Satin Etch**
- XR = Rainglass**
- XC = Chord**
- XN = Granite**
- XJ = Chinchilla**
- XK = Reeded**

Glass Privacy Rating Scale



Optional Dentil Shelves

Available for Craftsman-style doors.



Fiber-Classic® Mahogany 4-Block*



Smooth-Star® 4-Block*

*Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.
Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and glass designs.

Privacy & Textured Glass



Satin Etch (XE) **10**



Chinchilla (XJ) **10**



Reeded* (XK) **7**



Chord (XC) **10**




Granite (XN) **10**




Rainglass (XR) **8**

*Reeded glass available in flush-glazed Classic Craft doors and sidelites, as well as Fiber-Classic, Smooth-Star, Steel and Pulse doors and sidelites.



Left Page: 1. Smooth-Star, Satin Etch – S880XE 2. Fiber-Classic, Rainglass – FCM601XR

Internal Blinds: Fiber-Classic® Mahogany Collection



A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.



FCM141
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



FCM678
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



FCM6035
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *

Fiber-Classic Oak Collection



FCM6055
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



FCM1286SL
12" x 6'8" | 14" x 6'8"
* ● ●



FC141
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



81964P
2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | *



FC678
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



FC141SL
12" x 6'8" | 14" x 6'8"
*

Smooth-Star® Collection



S130 | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8" | *



S8682
2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | *



S132
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



S6035
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



S6055
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



S130SL
12" x 6'8" | 14" x 6'8"
*

Screen Vented Lites: Smooth-Star Collection



S243
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



S6034
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



S6054
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



Screen Vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.

Low-E Glass

More energy efficient than traditional clear glass, Low-E glass is available as an option.



In cold weather, Low-E glass reduces the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, keeping the interior of the home cool.

Fiber-Classic® Mahogany Collection



FCM10
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | * ☼



FCM62
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



FCM6021
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



FCM6041
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



FCM601
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



FCM12101SL
10" x 6'8" | 12" x 6'8"
14" x 6'8" | * ☼



FCM32SL
10" x 6'8" | 12" x 6'8" | 14" x 6'8" | *



FCM62SL
10" x 6'8" | 12" x 6'8" | 14" x 6'8" | *

Fiber-Classic Oak Collection



FC10 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | * ☼
81200P | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | * ☼



FC766 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | * ☼
81943P | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | * ☼



FC62 | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8" | * ☼
81929P | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | * ☼



FC48
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | * ☼



FC47SL | 12" x 6'8" | 14" x 6'8"
* ☼
81200PSL | 12" x 8'0" | 14" x 8'0"
* ☼



FC32SL | 12" x 6'8" | 14" x 6'8"
* ☼
81943PSL | 12" x 8'0" | 14" x 8'0"
* ☼



FC48SL | 12" x 6'8" | 14" x 6'8"
* ☼
81929PSL | 12" x 8'0" | 14" x 8'0"
* ☼

Optional Dentil Shelves

Available for Craftsman-style doors.



Fiber-Classic® Mahogany 4-Block*



Smooth-Star® 4-Block*

*Not recommended for use behind storm doors or to be painted dark colours, if exposed to direct sunlight.

Key

- ☼ Low-E Glass (LE)
- ☼ No Stile Lines
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ▤ Flat Lite Frame
- ↻ Rapid Ship

Smooth-Star® Collection



S108
2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
* ♦



S262
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | * ♦



S6022
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | * ♦



S6042
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | * ♦



S118 | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8" | * ☽



S818 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | * ☽



S90 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *
S880 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | *



S206
2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"
*



S6021
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



S6041
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *




S104
2'4" x 6'8" | 2'6" x 6'8"
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | * ♦




S289
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



S2610* | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | * ⚡
S82610* | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | * ⚡



S601 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *
S8601 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | *



S256
2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | *



S296 | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8" | *
S896 | 2'8" x 8'0" | 3'0" x 8'0" | *



S100SL | 12" x 6'8" | 14" x 6'8" | * ⚡
S8601SL | 12" x 8'0" | 14" x 8'0" | *



S751SL | 12" x 6'8" | 14" x 6'8" | *
S880SL | 12" x 8'0" | 14" x 8'0" | *



S210SL | 12" x 6'8" | 14" x 6'8" | *
S85910SL | 12" x 8'0" | 14" x 8'0" | *



Smooth-Star, 1. Chord Glass - S5RXC-FF 2. Echelon Glass - S2EC-FF


Pulse®

Clean lines. Crisp angles. Sleek designs. Vintage style.

It's your decision, by design.

1. Start with a STYLE.

Combine doors & sidelites to create an entrance that fits your vision.



Ari Línea Echo Sidelites

3. Select a GLASS.

Find an available glass design to complete the statement you want to make.


Privacy & Textured Glass

Available for all Pulse doors.




Decorative Glass

Glass available for Línea.



1. Echelon
2. Latitude
3. Calix
4. Sedona
5. Saratoga
6. Axis
7. Pembridge
8. Blackstone
9. Crystalline
10. Riserva
11. Salinas

Glass available for Ari.



Glass available for Echo.



Fiberglass



Steel

2. Choose a MATERIAL.

Each style is available in any of these material choices.




Wood-Grained Fiberglass
Mahogany or Oak
(Shown in Natural Oak stain.)

Smooth Fiberglass

4. The FRAME.

The flat profile for modern appeal.



Flat Profile Lite Frame

PULSE Size Availability


Height	Wood-Grained Fiberglass		Smooth Fiberglass	
	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8"	2'8" x 8'0"	2'6" x 6'8"	2'8" x 8'0"
	2'8" x 6'8"	2'10" x 8'0"	2'8" x 6'8"	2'10" x 8'0"
	2'10" x 6'8"	-	2'10" x 6'8"	-
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
Sidelites	12" x 6'8"	12" x 8'0"	12" x 6'8"	12" x 8'0"
	14" x 6'8"	14" x 8'0"	14" x 6'8"	14" x 8'0"

Note: Available door sizes and glass options may vary based on door style and material choice.

Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass.

See your Therma-Tru seller or visit www.thermatru.ca for details on glass privacy ratings and designs, limited warranties and exclusions and to confirm available product sizes and options.


Ari



FCM2__
FC2__
S2__

FCM83__
FC83__
S83__

Línea




FCM1L__
FC1L__
S1L__

FCM1__
FC1__
S1__

FCM1R__
FC1R__
S1R__

Echo



FCM4L__
FC4L__
S4L__


FCM4__
FC4__
S4__

FCM4R__
FC4R__
S4R__

FCM84L__
FC84L__
S84L__

FCM84__
FC84__
S84__


FCM84R__
FC84R__
S84R__



FCM5L__
FC5L__
S5L__

FCM5__
FC5__
S5__


FCM5R__
FC5R__
S5R__



FCM85L__
FC85L__
S85L__

FCM85__
FC85__
S85__


FCM85R__
FC85R__
S85R__



FCM86L__
FC86L__
S86L__

FCM86__
FC86__
S86__

FCM86R__
FC86R__
S86R__




FCM9L__
FC9L__
S9L__

FCM9__
FC9__
S9__

FCM9R__
FC9R__
S9R__


Sidelites



FCM8L__
FC8L__
S8L__

FCM8__
FC8__
S8__


FCM8R__
FC8R__
S8R__



FCM811L__
FC811L__
S811L__

FCM811__
FC811__
S811__


FCM811R__
FC811R__
S811R__



FCM810L__
FC810L__
S810L__

FCM810__
FC810__
S810__


FCM810R__
FC810R__
S810R__



S601__SL


S6128SL
Internal Blinds

FCM86__SL
FC86__SL
S86__SL



FCM5__SL
FC5__SL
S5__SL

FCM85__SL
FC85__SL
S85__SL



FCM4__SL
FC4__SL
S4__SL

FCM84__SL
FC84__SL
S84__SL



FCM811__SL
FC811__SL
S811__SL



FCM810__SL
FC810__SL
S810__SL



FCM9__SL
FC9__SL
S9__SL



FCM10__SL
FC10__SL
S10__SL

Key

☀ Low-E Glass (LE)

● Vented Sidelite

(6"6" & 6"8" only in 12" & 14")
(8"0" only in 14")

Privacy & Textured Glass

Add the code to the blank in the style number for the desired door and glass combination.

XE = Satin Etch

XK = Reeded

XC = Chord

CL = Clear (☀)

XJ = Chinchilla

AX = Axis

XR = Rainglass

PB = Pembridge


XN = Granite

Grooved Fiberglass Doors

These grooved fiberglass doors are the perfect match to our FineLine door designs by Lynden Door and complete your whole house package.

Grooved door designs are unique to Alliance Door Products and are covered by our standard warranty. All Grooved Fiberglass Doors are available in widths 2'6" through 3'6". Custom widths also available.

Smooth-Star®



S100AL | 6'8"
S81000AL | 8'0"

S100DE | 6'8"
S81000DE | 8'0"

S100RO | 6'8"
S81000RO | 8'0"

S100PA | 6'8"
S81000PA | 8'0"

S100MO | 6'8"
S81000MO | 8'0"

S100LG | 6'8"
S81000LG | 8'0"

Fiber-Classic® Oak



FC1000AL | 6'8"
FC81000AL | 8'0"

FC1000DE | 6'8"
FC81000DE | 8'0"

FC1000RO | 6'8"
FC81000RO | 8'0"

FC1000PA | 6'8"
FC81000PA | 8'0"

FC1000MO | 6'8"
FC81000MO | 8'0"

FC1000LG | 6'8"
FC81000LG | 8'0"

Fiber-Classic Mahogany (6'8" & 8'0")



FCM1000AL | 6'8"
FCM81000AL | 8'0"

FCM1000DE | 6'8"
FCM81000DE | 8'0"

FCM1000RO | 6'8"
FCM81000RO | 8'0"

FCM1000PA | 6'8"
FCM81000PA | 8'0"

FCM1000MO | 6'8"
FCM81000MO | 8'0"

FCM1000LG | 6'8"
FCM81000LG | 8'0"



Fiber-Classic Mahogany Collection

SOLID PANEL



FCM31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM220
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM60
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FCM1000 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" | ■



FCM81000 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ■

Fiber-Classic Oak Collection



FC31
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



FC809
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



FC862
3'0" x 8'0"



FC808
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



FC60 | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8"



FC860 | 2'8" x 8'80" | 2'10" x 8'0" 3'0" x 8'0"



1000 | 2'4" x 6'8" | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8" | ■



81000 | 2'8" x 8'0" | 2'10" x 8'0" 3'0" x 8'0" | ■

Key


■ No Stile Lines

Optional Clavos & Strap Hinges




Left Page: Classic-Craft Walnut – CCW903 Right Page: 1. Fiber-Classic Oak – FC809 2. Fiber-Classic Mahogany – FCM205 3. Fiber-Classic Oak – FC809 with Larson Storm Door
Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing. Product images show exterior side of door.

Smooth-Star® Collection




S1100 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"

S81100 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



S120 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"

S8120 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"




S4800 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"

S84800 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



S93
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



S220* | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8" ‡

S8200 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



S200 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"

S897 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



S205 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"


S8201 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



S831
2'8" x 8'0" | 2'10" x 8'0" | 3'0" x 8'0"




S960
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



S600 | 2'8" x 6'8" | 2'10" x 6'8"
3'0" x 6'8"

S8600 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



S210* | 2'6" x 6'8" | 2'8" x 6'8"
2'10" x 6'8" | 3'0" x 6'8" ‡

S810 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0"



S100 | 2'4" x 6'8" | 2'6" x 6'8"
2'8" x 6'8" ‡ | 2'10" x 6'8" ‡
3'0" x 6'8" ‡ | ■

S81000 | 2'8" x 8'0" | 2'10" x 8'0"
3'0" x 8'0" | ■



Key

■ No Stile Lines

‡ 7'0" Height Available

*Available with elevated 10" bottom rail.

Optional Clavos & Strap Hinges



Steel Doors

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options. Find style at an affordable price point with options to match any home style and budgets.

Steel



969HD
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



978HD
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



1005HD
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"




205HD
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



203HD
2'8" x 6'8" | 2'10" x 6'8" | 3'0" x 6'8"



210HD
2'6" x 6'8" † | 2'8" x 6'8" †
2'10" x 6'8" † | 3'0" x 6'8" †



100
2'0" x 6'8" | 2'4" x 6'8" | 2'6" x 6'8" † | 2'8" x 6'8" †
2'10" x 6'8" † | 3'0" x 6'8" † | 3'6" x 6'8" †

Key
† 7'0" Height Available



Left Page: 1. Smooth-Star - S4800 2. Smooth-Star - S8200 Right Page: Top: Steel - 996HD, Sedona Glass Bottom: Steel - 205HD



S210
6-Panel

S236-FXG
Top 4-Lite

S132-RT
Internal Blinds

S243
Vented

S262
9-Lite Low-E

S206
Half Lite Low-E

S137
Vented

S100


ALLIANCE TRADITIONS PROGRAM

In-Stock or available with reduced lead times.

Our Traditions Program makes it easy to purchase a superior door system.

High quality system components combined with your choice of **Therma-Tru® Fiberglass** or **High Definition Steel** doors are engineered to meet performance standards.

- 2'8", 2'10", and 3'0" x 6'8" Prehung Fiberglass or Steel doors
- Aluminum sill with composite thermal break
- Standard primed FJP frame and brickmould (also available in white composite)
- Pre-hung systems **screwed for exceptional strength**
- Optional brickmould can be applied
- All jamb/sill joints are caulked
- Weatherstripping
- 3 - 4" x 4" BB hinges
- Double drilled (also available with single drill)
- Outswing door units available



ALLIANCE TRADITIONS *plus* PROGRAM



S4810
Flush-Glazed Low-E
2'8" | 3'0" x 6'8"

S2000
Low-E
2'8", 2'10" | 3'0" x 6'8"

S210
6-Panel
2'8" | 3'0" x 6'8"

S1100
1-Panel Shaker
2'8" | 3'0" x 6'8"

- Fully Prefinished Prehung Units
- Composite Prefinished Jamb
- 4"x4" NRP BB Hinges
- Adjustable Aluminum Sill with Adjustable Dark Cap
- Inswing configuration
- Single or Double Bore available (2-1/8" bore with 1" drive in)
- Low-E Glass



Garden & Reno Garden Door System

Performance. Beauty. Security.

Extend your living space with this high performance energy efficient Patio Door System. Assembled in Canada, these out-swing crank-out mullied pairs are a robust, prehung package for high traffic entries. The Reno Garden Door System is ideally suited to replace outdated sliding vinyl or aluminum patio doors.

- 1-3/4" Therma-Tru[®] Smooth-Star[®] Flush-Glazed Slabs
One side cranks open like a casement window for ventilation, the other side is an out-swing entry door.
- Energy Efficient with surround weatherstripping.
- Deep "Fatboy" Style Plant-in Mull Post
Delivers structural integrity & seal against elements.
- 4-9/16" & 6-9/16" Jamb with Primed Pine Frames
- HD TRUTH Vent Roto Operator
- TRUTH Encore Folding Crank Handle
Smooth & reliable; sleek look.
- Rugged, HD Interior Screen - Removable
- 3 - 4" x 4" BB hinges
- 10-Year Limited Slab Warranty



Combo Door

Affordable, secure, energy efficient and durable.

Fabricated in Canada to be reliably tough and capable of standing up to our demanding winters!


This rugged, pre-hung package includes:

- 1-3/4" Fiberglass or Steel Insulated 6-Panel Inner Entry Door.
Paired with a matching storm door.
- 1-3/4" Fiberglass or Steel Insulated Vented Outer Storm Door.
Proven durability, insulative value and security. Primed and ready to paint.
Simple screened ventilation.
- Frames screwed for exceptional strength.
- 4-9/16", 6-9/16", 7-1/4", and 8'0" Double Rabbeted Jamb, custom jamb sizes also available. Both doors are hung on door jamb for superior strength and screw holding.
- Wrap-around Security Strike Plate.
Effective break-in deterrent adds durability to the entire assembly.
- 10-Year Limited Slab Warranty.


Alliance Door Systems

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.


- 1 **Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration.
- 2 **Corner seal pads** complete the seal between the sill cap, bottom sweep and weatherstrip.
- 3 **Hinges** position the door to properly compress the weatherstrip.
- 4 **Weatherstrip** is specifically engineered to provide the best possible fit with our door systems.
- 5 **Multi-point locking system** (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the seal of the weatherstrip even under wind pressure.
- 6 **Lip-lite frame** features a compression seal against weather. **Flush-glazed glass** is built directly into the door without a lip-lite frame, featuring a high-performance adhesive weather seal inside and out.




Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free **Therma-Tru composite door frame*** delivers extra protection from the damaging effects of moisture.




Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




Corner seal pads (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.



Hinges position the door to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



Multi-point locking system (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the seal of the weatherstrip even under wind pressure.



Lip-lite frame (shown right) features a **compression seal** against weather on the outside of the door and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.

Design and Functionality. The uncompromising quality you've come to expect from a Therma-Tru® door, now available with a Therma-Tru composite door frame. New composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



- 1 Brickmould (Exterior)
- 2 Jamb
- 3 Mullions
- 4 Cove Mould (Interior)
- 5 Transom Sill (Exterior)

Protection From the Elements



Resists Moisture & Humidity

Composite Door frames feature completely composite exteriors that resist humidity and moisture to help eliminate the risk of swelling and cracking.



Resists Mold & Rot

A composite door frame does not absorb or retain moisture helping to eliminate the risk of mold and rot.



Resists Insects


With no exposed wood, Therma-Tru® composite door frames help protect from wood-ingesting insects.



Tru-Advantages

Delivers extra protection from the damaging effects of moisture for peace of mind.

- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free.
- Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.
- Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.




Available Textures



- **Ready to finish.**

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry - no sanding or priming required.



Reinforced Mullions


Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.



- **Ready to install.**
- **Ready to finish.**

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is - no painting required. Or finish with stain or paint to complement the entry - no sanding or priming required.



NEW Storm Door-Ready Mullion & Adapter

Innovative design helps simplify the storm door installation process.

- Storm door-ready mullion is available for common depths of 4-9/16" and 6-9/16".
- A storm door-ready mullion adapter is also available for unique depths up to 7-9/16".

Performance

Eliminates Risk of Rotting, Warping and Splitting	✓
Resists Mold, Fungus, Insects	✓
Reinforced LVL Mullions with Composite-Capped Bottoms	✓
Impact and 20-Minute Fire Code Compliant*	✓

Aesthetics

Ready to Finish - No Sanding or Priming Required	✓
Ready to Install Option - No Finishing Required (White Smooth)	✓
Universal Grain Complements a Wide Range of Wood Species	✓
Screw Plugs Match Frame Material and Conceal External Fasteners	✓



Warranty

Customer peace of mind with a composite door frame backed by warranties from the entry door brand professionals choose most.** ✓


Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame ■ Classic Craft _® Door ■ Components		Lifetime Transferable Full-System Rider
Composite Door Frame ■ Fiber-Classic _® , Smooth-Star _® , Pulse _® Fiberglass Door ■ Components		10-Year Transferable Full-System Rider
Composite Door Frame Only		
EnLiten_™ Flush-Glazed		3-Year Limited Transferable EnLiten Flush-Glazed Rider



*To confirm code requirements in your jurisdiction, always check with your local building code authority.

**Brand Use Studies, 2020 Builder and 2019 Remodeling magazines.

Note: Visit www.thermatru.ca for details on product approvals and installation instructions, available product sizes and options, limited warranties and exclusions, and Rider.



Door Frame Options

Composite Frame & Brickmould

- **Closed Cellular Structure**
ensures door frame & molding will not absorb or wick moisture
- **No warp, splinter or rot**
- **Twice the Screw-Holding Power**
compared to traditional wood door frames
- **Easily Machined** just like wood frames

Extruded Metal Cladding

- **Premium Materials & Fabrication**
- 6-Gauge extruded aluminum
- Continuous head and sill mull system
- 13 color options
- No exposed fasteners
- **Versatile and Job Ready**
- 4-9/16" and 6-9/16" jamb depth
- 2-1/2" mull post, mull fits into header to eliminate mull twist
- Storm door compatible

Wood Frame Options

- Primed Wood
- Primed Finger-joint
- Fir
- Other wood frame materials

Stain & Paint Pre-Finish Program

Create a stunning entrance way.

For gorgeous pre-finished options consider our Alliance Door Systems color selections.

Door systems are expertly finished with high quality stains or paints creating the stunning entrance way your home deserves.

Stain Finishes

Regional availability. Please contact your local sales representative for Stain samples.

Paint Finishes



Note: Finish colours may vary from an actual application due to fluctuations in finishing or printing.

Service Overview

Please contact us for specialized machining needs.



Residential

Interior & Exterior Doors Door Systems

- Custom Hinge / Knob locations
- Jamb Kits: MDF, FJP, FJP Rab, Wood Veneer & Solid Wood
- Single and Double Door Units



Commercial

Interior & Exterior Doors Door Systems

- Custom Hinge / Knob locations
- Custom Metal Vision Lites
- Wood Beading Lite Kits
- Machining for Fire Rated Doors
- Machining for Fire Rated Frames



Custom

Interior & Exterior Doors Door Systems

- Custom Interior Transoms and Sidelites
- Custom Lite Cut-Outs in Residential Flush and Moulded
- Panel and Commercial Doors
- Dutch Doors
- Wood Stile & Rail Door Repair
- Custom Jamb Sizings



Contact Us

Machining

From standard to intricate, we offer a complete range of factory machining services. Utilizing state-of-the-art machinery and the talent of our highly skilled production team members, we provide machining services ranging from basic hinge preps to unique custom door modifications.

Consistency. Quality workmanship. Savings.
It pays to take advantage of our machining expertise.



Left Page: 1. Smooth-Star, Axis Glass – S3AX 2. Smooth-Star – S1LXK-FF Right Page: 1. Smooth-Star, Low-E Glass – S82103-GBG 2. Smooth-Star, Low-E Glass - S84816-SDLF1
BackCover: 1. Classic Craft, Chord Glass – CCM2804XCSDLF6 2. Smooth-Star, Low-E Glass – S2200 3. Fiber-Classic, Low-E Glass – FCM32



AllianceDoorProducts.com